

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L2: Entry 41 of 45

File: DWPI

Jan 26, 1993

DERWENT-ACC-NO: 1993-071315

DERWENT-WEEK: 199309

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Pressure sensitive adhesive compsn. with improved tack, cohesive force, etc.
- comprises copolymer contg. hydroxyl gp.-contg. vinyl! monomer unit, 4-12C alkyl
(meth)acrylate! unit, 2nd vinyl! unit and e.g. polypropylene glycol

Standard Title Terms (1):

PRESSURE SENSITIVE ADHESIVE COMPOSITION IMPROVE TACK COHERE FORCE COMPRISE
COPOLYMER CONTAIN HYDROXYL GROUP CONTAIN POLYVINYL MONOMER UNIT ALKYL METHO
POLYACRYLATE UNIT POLYVINYL UNIT POLYPROPYLENE GLYCOL

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

[First Hit](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L2: Entry 36 of 45

File: JPAB

Dec 6, 1984

DOCUMENT-IDENTIFIER: JP 59216816 A

TITLE: PLASTER

Abstract Text (2):

CONSTITUTION: The objective plaster is manufactured by laminating a pressure-sensitive adhesive layer composed of an alkyl (meth)acrylate-diacetoneacrylamide copolymer and containing isosorbide dinitrate and an absorption assistant (e.g. polyethylene glycol) to one surface of a substrate sheet. When isosorbide dinitrate is added to an acrylic adhesive, the migration of the component continues for a long period at a uniform rate, however, it takes a long time until the drug concentration in blood reaches its equilibrium level, and the rapid activity cannot be expected. The rapid drug action can be attained by using a copolymer of an alkyl (meth)acrylate and diacetoneacrylamide at a molar ratio of 50:50~99:1.

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Friday, April 29, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L6	5601723.pn.	1
<input type="checkbox"/>	L5	4275138.pn.	1
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	(psa or pressure sensitive adhesive) adj2 ((polyethylene glycol or polypropylene glycol)not (\$4acrylate))	3
<input type="checkbox"/>	L3	(psa or pressure sensitive adhesive) with ((polyethylene glycol or polypropylene glycol)not (\$4acrylate))	90
<input type="checkbox"/>	L2	(psa or pressure sensitive adhesive) with (\$4acrylate) with (polyethylene glycol or polypropylene glycol)	45
<input type="checkbox"/>	L1	(psa or pressure sensitive adhesive) with (\$4acrylate) with (polyethylene glycol not \$4acrylate)	0

END OF SEARCH HISTORY